D9NETWORK

Advancing Decentralized Ecosystems with **Innovative Protocols**

WHITE PAPER

Abstract

The D9 Network is an innovative blockchain platform built on the Substrate framework, drawing on the strengths of Polkadot's multi-chain architecture while introducing unique functionalities that address key challenges in decentralized finance (DeFi) and commerce. This white paper outlines the core components of the D9 Network, including Burn Mining, the Decentralized Commerce Incentive Protocol (DCIP), a decentralized exchange (DEX), crosschain transfer mechanisms, and advanced governance models. By integrating these features, the D9 Network seeks to enhance scalability, interoperability, and user incentivization. With a focus on decentralization and inclusivity, the platform is designed to provide a robust foundation for the next generation of decentralized applications (dApps) and foster real-world adoption across diverse industries.

Table of Contents

04 Background

06 Burn Mining: A Commitment Incentive Mechanism

12 Decentralized Commerce Incentive Protocol (DCIP)

20 Decentralized Exchange (DEX)

25 Cross-Chain Transfer Mechanisms

35 Node Reward System

40 Referral System for Network Growth

44 Governance and Upgradability

47 Conclusion

Background

Blockchain technology has revolutionized various industries by introducing decentralized ledgers that provide transparency, security, and immutability. However, despite significant advancements, many blockchain networks face challenges related to scalability, interoperability, governance, and user incentivization. The D9 Network emerges as a solution to these challenges, building upon the successes and learning from the limitations of existing networks like Polkadot. By leveraging the Substrate framework and Rust programming language, the D9 Network offers a scalable, interoperable, and user-centric blockchain platform. The integration of innovative protocols such as Burn Mining, DCIP, and advanced governance models sets D9 apart in the competitive landscape of blockchain platforms.

Objectives scalability

Achieve high transaction throughout without compromising security or decentralization.

- **INTEROPERABILITY:** Facilitate seamless interaction between different blockchain networks.
- **GOVERNANCE:** Implement a decentralized governance model that empowers stakeholders.
- **INCENTIVIZATION:** Encourage participation through reward systems like Burn Mining, DCIP, and referral programs.


→ **DECENTRALIZATION:** Ensure that control over the network is distributed among a diverse set of participants. Inspiration from Polkadot Polkadot introduced a heterogeneous multichain framework that addresses scalability and interoperability by decoupling consensus from state transition mechanisms. The D9 Network adopts a similar philosophy but introduces unique functionalities tailored to address specific use cases in decentralized commerce and finance.



Burn Mining

Burn Mining is a unique mechanism within the D9 Network that functions as a proof of long-term commitment from users. Unlike traditional mining models that create deflationary pressure by permanently removing tokens from circulation, Burn Mining operates by transferring burned tokens into a specialized mining pool. This pool is responsible for managing the process of generating and distributing new tokens over time, which are gradually unlocked to users who have committed tokens to the system.

Technically, the Burn Mining process begins when a user initiates a burn transaction, specifying the amount of tokens to be burned and designating the burn contract and beneficiary accounts. The contract ensures that the burned amount meets the required thresholds, both in terms of minimum value and divisibility. Once verified, the tokens are transferred into the burn contract, which makes a cross-contract call to process the burn within the mining pool. The user's portfolio is then updated to reflect the amount burned and the balance of newly mined tokens due to them over time.



As tokens are unlocked and become available for withdrawal, the user can initiate a withdrawal from the system. The contract ensures that the withdrawal is valid, based on the user's burn portfolio and the amount of tokens that have been unlocked by the mining pool. Once the contract validates the withdrawal request, the user receives newly mined tokens, which are separate from the original tokens burned. This emphasizes that the burned tokens are not permanently removed but rather fuel the ongoing token circulation and mining process.

By implementing this mechanism, Burn Mining encourages users to make a long-term commitment to the network. The tokens they burn contribute to the broader token economy, while they benefit from the gradual unlocking of newly mined tokens, aligning their interests with the network's sustained growth. This approach not only rewards participants but also maintains a dynamic token circulation, ensuring continued engagement with the D9 Network.



Comparison of Burn Mining in the D9 Network to Traditional Mining Methods

Burn Mining, as implemented in the D9 Network, differs fundamentally from traditional mining methods such as Proof of Work (PoW) and Proof of Stake (PoS), both in mechanics and in its underlying philosophy.

01

Resource Consumption vs. Token Commitment

- **Traditional Mining (PoW):** In Proof of Work, miners expend computational resources and energy to solve complex cryptographic puzzles, securing the network and generating new blocks. This process consumes significant energy and requires specialized hardware, contributing to concerns about environmental impact.

- **Burn Mining:** Instead of consuming energy, Burn Mining requires users to burn tokens, demonstrating a commitment to the network. These tokens are not permanently destroyed but are redirected to a mining pool, which unlocks newly mined tokens over time. This creates a more eco-friendly alternative by avoiding energy-intensive processes.

02

Collateral Locking vs. Token Circulation

- **Traditional Mining (PoS):** In Proof of Stake, participants lock up tokens as collateral to validate blocks. Their ability to mine or validate is proportionate to the number of tokens they stake, but the tokens remain locked during the staking period, limiting their liquidity.

- **Burn Mining:** Burned tokens are redirected to a pool, where they become a circulating resource that powers the mining process. The tokens that users eventually receive are newly minted, not the original tokens they burned. This ensures that the burned tokens continue to have utility in the ecosystem, rather than simply being locked away without circulation.

03

Deflationary Pressure vs. Dynamic Circulation

- **Traditional Mining:** Both Proof of Work and Proof of Stake can contribute to deflationary pressure. In PoS, the locked tokens are temporarily removed from circulation, and in some PoW systems, transaction fees or burned tokens are permanently removed from supply, causing deflationary effects over time.

- **Burn Mining:** Instead of causing permanent deflationary pressure, Burn Mining reintegrates the burned tokens into the network's economy. The tokens aren't removed from the total supply but are used to power the mining pool, which helps sustain the token economy by releasing newly mined tokens. This dynamic keeps the token ecosystem balanced and avoids permanent scarcity.

04

Short-Term Gains vs. Long-Term Commitment

- **Traditional Mining:** PoW and PoS incentivize short-term participation, where miners or stakers can reap immediate rewards based on their contribution to block validation or computational power. Once the mining or staking period ends, participants can withdraw their tokens and rewards.

- **Burn Mining:** In contrast, Burn Mining focuses on long-term commitment. Users who burn tokens are not immediately rewarded but must wait as newly mined tokens are gradually unlocked. This vested return aligns participants' interests with the network's long-term sustainability, incentivizing patience and fostering ongoing engagement with the ecosystem.

05

Security and Network Participation

- **Traditional Mining:** PoW secures the network through computational effort, while PoS ensures security by requiring participants to have a stake in the system. In both cases, security relies heavily on active participation from miners or stakers.

- **Burn Mining:** Burn Mining also incentivizes participation, but it ties the user's long-term interest directly to the health of the network. By burning tokens, users are demonstrating trust in the network's future and are therefore more likely to stay invested in its success, reinforcing both the economic and social fabric of the network.

In summary, Burn Mining offers a more sustainable and commitment-oriented approach compared to Proof of Workand Proof of Stake. It shifts the focus from immediate resource consumption and staking toward a long-term investment in the network's future, all while maintaining a dynamic token economy.

Decentralized Commerce Incentive Protocol (DCIP)

OVERVIEW

The Decentralized Commerce Incentive Protocol (DCIP) within the D9 Network is designed to incentivize merchants and businesses to adopt the network for commercial activities by creating a robust system of rewards and engagement. When merchants participate in the network, they pay a subscription fee (e.g., in USDT), which validates their participation. This subscription ensures continued access to the network's benefits and enables merchants to issue rewards to users based on their transactions. For example, a merchant can give users "green points" based on their purchases, which can later be redeemed for on-network tokens, such as D9, after converting them to "red points" based on various factors like time and user relationships.

When a merchant subscribes to the DCIP, the contract checks the validity of the subscription, processes the payment (e.g., USDT), and updates the merchant’s subscription status, allowing them to continue offering rewards to consumers. This subscription is flexible, updating based on the amount paid, ensuring that merchants maintain their ability to participate in the incentive protocol.

From the user's perspective, these rewards (green points) are accumulated and eventually converted into red points, which can be redeemed for D9 tokens. The system dynamically calculates how many red points can be redeemed based on both the time elapsed and the strength of the user's relationship within the network, promoting ongoing participation and engagement. This ensures that both merchants and users remain active participants in the ecosystem.

Merchants are also incentivized directly by earning green points for themselves when users make purchases, which can be converted into redeemable tokens over time. This creates a cyclical reward system where all participants benefit from continued engagement, driving the adoption of decentralized commerce on the D9 Network.

This mechanism combines the principles of decentralized finance with a seamless reward system, enabling the network to grow sustainably while ensuring that participants—both merchants and users—are rewarded for their long-term commitment to the platform. The technical foundation, from handling USDT transactions to converting points into redeemable tokens, creates a seamless experience for all parties involved.

Comparison of DCIP in the D9 Network to Traditional Incentive Programs

The Decentralized Commerce Incentive Protocol (DCIP) offers a unique approach to merchant and user engagement compared to traditional incentive programs. Here's a breakdown of the key differences:

01

Centralized vs. Decentralized

- **Traditional Programs:** Most traditional incentive programs, such as loyalty points systems or cashback schemes, are centralized. A company or a third-party manages the system, controlling the distribution and redemption of rewards. Users are often limited to redeeming rewards through the issuing company or its affiliates.
- **DCIP:** In contrast, DCIP operates on a decentralized blockchain network, where transactions and rewards are transparently managed by smart contracts. Merchants and users interact directly with the system, without needing intermediaries. This decentralization removes trust concerns and ensures that all participants have equal access to incentives and rewards.

02

Fixed Rewards vs. Dynamic Engagement

- **Traditional Programs:** In traditional systems, rewards are often static, with fixed points given per purchase or transaction. Users accumulate points over time but have limited engagement beyond simple spending behavior. The system rarely encourages long-term participation or deep engagement beyond transactional interactions.

- **Traditional Programs:** DCIP incentivizes ongoing, dynamic engagement. Users accumulate green points based on time and relationships, and these points can be converted into redeemable tokens. This promotes not only spending but also continued engagement with the network over time. Users are rewarded for staying active, contributing to network growth, and fostering relationships, creating a deeper level of interaction than traditional programs.

03

Central Control of Value vs. Token-Based Economy

- **Traditional Programs:** The value of rewards in traditional programs is often controlled by the central company, which can devalue points, change redemption rules, or alter the program at will. Rewards are often limited to a specific brand or service, reducing their utility and flexibility.

- **DCIP:** DCIP uses a token-based economy where rewards are issued in on-network tokens (D9), which can be exchanged within the network. The tokens have value in the broader ecosystem and are not restricted to a single brand or entity. This allows users and merchants more flexibility in how they use and redeem rewards, creating a more open and adaptable incentive system.

04

Limited Merchant Participation vs. Broad Merchant Ecosystem

- **Traditional Programs:** Many traditional programs restrict rewards to a single company or a small group of partners. Merchants may have to pay high fees to join these programs, limiting their participation. User rewards are often limited to specific products or services within the company's ecosystem.

- **DCIP:** DCIP creates a broad, open ecosystem where any merchant can participate by paying a subscription fee. Once subscribed, merchants can reward users with green points, which can be redeemed for tokens that have value across the entire network. This incentivizes a wide range of businesses to join and benefit from the system, expanding the reward ecosystem beyond the limits of traditional loyalty programs.



04

Limited Merchant Participation vs. Broad Merchant Ecosystem

- **Traditional Programs:** Many traditional programs restrict rewards to a single company or a small group of partners. Merchants may have to pay high fees to join these programs, limiting their participation. User rewards are often limited to specific products or services within the company's ecosystem.

- **DCIP:** DCIP creates a broad, open ecosystem where any merchant can participate by paying a subscription fee. Once subscribed, merchants can reward users with green points, which can be redeemed for tokens that have value across the entire network. This incentivizes a wide range of businesses to join and benefit from the system, expanding the reward ecosystem beyond the limits of traditional loyalty programs.

05

Short-Term Focus vs. Long-Term Commitment

- **Traditional Programs:** Traditional loyalty programs often focus on short-term gains, incentivizing users to spend more in the immediate future but failing to encourage long-term engagement.

- **DCIP:** DCIP fosters long-term commitment by rewarding both users and merchants for staying engaged over time. The system calculates red points based on time and relationships, encouraging sustained participation. Users unlock tokens gradually, aligning their incentives with the long-term growth of the network, while merchants benefit from ongoing interaction with their customer base.

06


Opaque Reward Systems vs. Transparent and Secure

- **Traditional Programs:** Many traditional programs are opaque, with users unaware of how rewards are calculated or when the program might change. Users must rely on the trustworthiness of the company managing the program.

- **DCIP:** Built on blockchain technology, DCIP is fully transparent and secure. All transactions, rewards, and conversions are recorded on the blockchain, and smart contracts ensure that rewards are distributed fairly and consistently. This transparency builds trust in the system and eliminates the risk of reward devaluation or program changes without notice.

Summary

DCIP represents a next-generation approach to incentive programs, offering greater flexibility, transparency, and long-term engagement compared to **traditional loyalty programs**. By utilizing a decentralized, token-based system, DCIP creates a thriving and sustainable ecosystem that rewards both merchants and users for their participation, ultimately driving network adoption and growth in a way that traditional systems cannot match



Decentralized Exchange (DEX)

OVERVIEW

The D9 Network features a decentralized exchange (DEX) that enables seamless token trading directly on the blockchain, eliminating the need for intermediaries. By leveraging automated market-making (AMM) algorithms, the D9 DEX ensures continuous liquidity and dynamic pricing for participants. Unlike centralized exchanges, the D9 DEX offers non-custodial trading, meaning users retain full control of their assets throughout the entire trading process.

Technical Implementation

The DEX operates using a series of sophisticated automated market-making mechanisms embedded within the D9 Network's smart contracts. These smart contracts efficiently execute trades, manage liquidity, and ensure the security and transparency of all interactions. The DEX is built with key features and functionalities, directly aligned with the underlying logic of the smart contracts:

- **Traditional Programs:** Users can seamlessly exchange between D9 tokens and USDT. When users exchange USDT for D9, the system first checks the user's USDT allowance and receives the tokens. The DEX then calculates the corresponding amount of D9 using an AMM algorithm, deducts a transaction fee, and sends the remaining D9 to the user. Conversely, when selling D9 for USDT, the system calculates the USDT equivalent based on the current exchange rate in the liquidity pool and ensures sufficient liquidity before transferring USDT to the user.

- **Liquidity Pools** The DEX relies on user-contributed liquidity pools, where users add both D9 and USDT to the pool, enabling other participants to trade without needing direct counterparts. The smart contract ensures that liquidity is added in proper ratios, while automatically minting liquidity provider (LP) tokens to represent the user's share in the pool. These tokens can be redeemed for a portion of the pool's assets, and the liquidity provider is rewarded with a share of transaction fees.

- **Automated Market Maker (AMM):** Prices for D9 and USDT are dynamically determined using an algorithm based on the ratio of the two tokens within the liquidity pool. This ensures that trades are executed efficiently and in real time, with pricing adjusting automatically to the supply and demand within the pool.

Features

- **Non-Custodial Trading:** Unlike traditional centralized exchanges, the D9 DEX ensures that users maintain control of their funds at all times. All exchanges are executed via smart contracts, with users' tokens only moving upon confirmed trades, eliminating the need for centralized custodians.

- **Transparency:** All trades and liquidity pool interactions are publicly recorded on the D9 blockchain. This ensures complete transparency in terms of pricing, trading volume, and liquidity provider activity, fostering trust within the ecosystem.

- **Accessibility:** Users can engage with the DEX without needing to go through lengthy registration processes or provide KYC (Know Your Customer) documentation. This lowers the barrier to entry for users globally, enabling broader participation in the decentralized economy.

Liquidity Provision

- **Incentives for Providers** Liquidity providers are rewarded with a share of the transaction fees collected during trades within their pool. The more trading activity in a pool, the greater the rewards for liquidity providers, incentivizing them to maintain liquidity over time.

- **Mitigating Impermanent Loss** — The DEX employs advanced algorithms to mitigate the risk of impermanent loss, a phenomenon where the value of tokens provided to the pool may decrease compared to holding them. Dynamic pricing adjustments help reduce volatility by maintaining balanced token ratios in the liquidity pool.

- **Dynamic Fee Adjustments** — Transaction fees are dynamically adjusted based on network activity, ensuring that liquidity provision remains attractive during both high and low trading volumes. This ensures that liquidity providers are consistently incentivized to participate.

Security Measures

- **Smart Contract Audits:** — The smart contracts governing the D9 DEX, including those for exchanging tokens and managing liquidity, undergo regular external audits to ensure their integrity and security. These audits help identify and fix any vulnerabilities, reducing the risk of attacks or malfunctions.

- **Decentralized Governance:** — Users and liquidity providers have the ability to participate in the decentralized governance of the DEX. Through voting mechanisms, they can propose and approve protocol upgrades, adjust fee structures, and influence other critical decisions that guide the future evolution of the platform.

Smart Contract Logic Incorporated into the DEX

The DEX's core functionality, from exchanging tokens to providing liquidity, is driven by robust smart contract logic. For example:

- **USDT to D9 Exchange:** The smart contract first checks the user's USDT allowance and transfers the USDT to the contract. It calculates the amount of D9 to be exchanged using the AMM, deducts a small transaction fee, and then transfers the remaining D9 to the user.

- **D9 to USDT Exchange:** Similarly, when users want to sell D9 for USDT, the smart contract ensures sufficient liquidity in the pool before calculating the USDT equivalent and transferring it to the user. If there is insufficient liquidity, the contract returns an error.

- **Liquidity Provision:** When a user adds liquidity to the pool, the smart contract verifies that both USDT and D9 are provided in sufficient amounts. It then mints liquidity provider (LP) tokens, representing the user's share in the pool, and distributes transaction fees to incentivize continued liquidity provision.

In summary, the D9 DEX integrates decentralized exchange functionality with automated liquidity management, driven by transparent and secure smart contracts. By offering non-custodial trading, real-time pricing, and dynamic fee structures, the D9 Network fosters an inclusive and highly efficient trading environment for all participants.

The D9 Network features a cross-chain asset transfer mechanism that seamlessly integrates with other blockchain networks, such as Tron, enabling bidirectional asset transfers between the D9 Network and external chains. This system facilitates both asset commitments and asset dispatches, which can occur between both chains (D9 and Tron), allowing users to move assets in either direction securely and efficiently. The system's logic is mirrored on both networks, meaning that similar smart contracts exist on Tron to handle asset commits and dispatches as well.

Cross-Chain Transfer Mechanisms

The cross-chain asset transfer mechanism relies on smart contracts that manage asset flows between the D9 Network and external networks like Tron. The smart contracts ensure that all transactions are validated, USDT transfers are handled securely, and transaction uniqueness is maintained to prevent double-spending. The system supports asset commitments and asset dispatches in both directions, allowing for seamless interoperability between D9 and Tron.

Asset Commit

This function handles the commitment of assets, regardless of whether they are moving from the D9 Network to Tron or from Tron to the D9 Network. The process works as follows:

- **Transaction Validation:** The contract first checks that the transaction is initiated by the controller (the entity authorized to manage cross-chain transfers). It then validates the addresses on both sides of the transaction—ensuring the to_address is valid (21 bytes for Tron) and that the transaction is unique.

- **USDT Transfer:** Once validated, the contract ensures that USDT is transferred from the user's account on the source network (either D9 or Tron) to the contract. The system checks that the user has sufficient balance and processes the transfer securely.

- **Transaction Logging:** After successful validation and transfer, the transaction is stored in the system with a unique transaction ID, ensuring traceability and preventing duplicate transactions. An event (`CommitCreated`) is emitted to signal the successful commitment of the asset transfer.

- **Bidirectional Commit:** Whether the commit originates from D9 or Tron, the logic ensures that the correct process is followed. If the asset is being committed from Tron, the Tron contract would manage the USDT validation and transfer, and the event emitted would be logged on Tron's network.

Asset Dispatch:

This function handles asset dispatches, regardless of whether the assets are moving from Tron to D9 or from D9 to Tron. The dispatch process ensures that assets are securely sent from the originating chain to the receiving chain.

- **Transaction Validation:** The dispatch function first validates that the call is made by the controller and that the transaction is unique, preventing double-spending or duplicates.
- **USDT Transfer:** The system then transfers the corresponding amount of USDT from the contract to the recipient's account on the destination network. For example, if dispatching from Tron to D9, the contract sends USDT to the user's D9 account, and vice versa for dispatching from D9 to Tron.
- **Transaction Logging:** The dispatch is logged with a unique transaction ID, ensuring traceability across chains. An event (`DispatchCompleted`) is emitted once the dispatch is finalized, providing transparency.
- **Bidirectional Dispatch:** Just like asset commits, asset dispatches can be initiated from either D9 or Tron. If the dispatch originates from Tron, the Tron contract handles the USDT distribution, and the event is emitted on Tron's blockchain.

Features:

- **Bidirectional Cross-Chain Asset Transfer** The system allows for the commitment and dispatch of assets between the D9 Network and Tron in both directions. Users can commit assets from D9 to Tron or from Tron to D9, and dispatch assets from one network to the other seamlessly.

- **Transaction Validation:** Each cross-chain transaction undergoes rigorous validation, including verifying that the sender and recipient addresses are valid, that the transaction is unique, and that sufficient USDT is available for the transfer.

- **USDT Management:** The system handles USDT transfers on both chains (D9 and Tron), ensuring that funds are securely transferred from one network to the other. The smart contracts manage receiving and sending USDT as part of both asset commits and dispatches, ensuring that liquidity remains balanced across both networks.

- **Event Logging:** For each successful cross-chain transfer, an event (`CommitCreated` or `DispatchCompleted`) is emitted. These events are logged on the blockchain and provide transparency and traceability for all cross-chain asset movements.

Security Measures

- **Transaction Uniqueness:** Every transaction is validated for uniqueness on both D9 and Tron, ensuring that no duplicate transactions occur. This prevents double-spending and maintains the integrity of the cross-chain asset transfer system.
- **Controller Authorization:** Only the designated controller can initiate asset commits or dispatches. This ensures that all cross-chain asset transfers are securely managed by an authorized entity.
- **Cross-Chain Transparency:** Events emitted for both asset commits and dispatches are publicly logged on the blockchain, whether the transaction originates on D9 or Tron. This provides full transparency and allows users to verify the status of their transactions.

Interoperability Between D9 and Tron

The cross-chain asset transfer mechanism facilitates seamless interaction between the D9 Network and the Tron blockchain, enabling bidirectional asset flow. The same smart contract logic is mirrored on Tron, allowing both chains to support asset commits and dispatches.

- **Asset Commit from D9 to Tron or Tron to D9** Users can commit assets in either direction. The contract on the originating chain ensures that the transfer is valid, receives the USDT, and logs the transaction. An event is emitted once the commitment is completed. The asset is then ready for dispatch on the receiving chain.

- **Asset Dispatch from D9 to Tron or Tron to D9** Once assets are committed, they can be dispatched to the user's account on the destination network. The contract validates the transaction and transfers the USDT to the user on the destination chain, whether D9 or Tron. An event is emitted to signal the completion of the dispatch.

Summary

The D9 Network's cross-chain asset transfer mechanism enables bidirectional transfers between D9 and Tron, allowing for both asset commits and dispatches in either direction. The system manages USDT transfers between accounts on both networks, ensuring that users can move assets securely and efficiently. Each transaction is rigorously validated, and events are emitted for transparency and traceability. By enabling full cross-chain interoperability, the D9 Network expands its ecosystem, facilitating decentralized asset flow between multiple blockchain networks.

The D9 Network features a comprehensive rewards distribution mechanism that assigns node rewards based on their performance and position within the network. The system is tiered, ensuring that nodes with higher ranks or more votes receive a larger share of the reward pool, while lower-ranked nodes receive proportionally smaller rewards. The mechanism interacts both with the network's runtime and smart contracts to manage reward allocations, credit nodes, and handle payouts securely.



Node Tiering

The rewards system classifies nodes into different tiers based on their position in the network. Nodes ranked from 1 to 27 are classified as Super Nodes, with three sub-tiers: Upper, Middle, and Lower. These top-performing nodes receive the highest share of rewards. Nodes ranked between 28 and 127 are categorized as Standby Nodes, while those ranked between 128 and 288 are considered Candidate Nodes. Nodes ranked below 288 are ineligible for rewards. This tiered system ensures that the most valuable nodes, based on performance and contribution, receive the greatest rewards, while still incentivizing broader participation from less active nodes.

Reward Pool Allocation

Each session's reward pool is allocated to nodes based on their tier. The total reward pool is dynamically calculated from the network's reward governance, and each node's reward share is based on its tier and the overall size of the pool. Higher-tier nodes receive a larger percentage of the pool, while lower-tier nodes receive smaller amounts. The distribution is balanced to encourage active participation across all tiers, from top validators to standby nodes.

Reward Credit and Payout

Once the reward pool is calculated, each node's reward share is credited to its account. The system tracks these rewards in a ledger, updating each node's balance with the appropriate amount. Only nodes with a sufficient vote count are eligible for reward crediting, ensuring that underperforming nodes do not benefit disproportionately.

When a node wishes to withdraw its rewards, the system validates the request, checking if the withdrawal is made by the node itself or an authorized recipient. Once the request is validated, the system interacts with the mining pool smart contract to process the payout and transfer the corresponding rewards to the node's designated account. This ensures that nodes can securely access their rewards once credited.

Interaction with the Runtime

The rewards mechanism directly interfaces with the D9 Network runtime to gather data on node performance and voting behavior. The system retrieves a list of nodes and their associated votes, which is then used to determine their tier and reward eligibility. This integration ensures that the rewards distribution remains in sync with the network's governance and consensus mechanisms, ensuring fairness and transparency.

Additionally, the runtime manages the reward pool's total balance, which is dynamically updated at the end of each session. The rewards contract queries this balance to ensure that the correct amount is distributed among eligible nodes.

Security and Authorization

The rewards system includes built-in security measures to ensure that only authorized entities can access rewards. Withdrawal requests are validated against an authorization list to prevent unauthorized access. Moreover, each node's reward is uniquely tracked, ensuring that the system remains tamper-proof and transparent. All rewards are distributed according to the network's governance rules, and the entire process is logged on-chain to provide a transparent audit trail.

Summary

The D9 Network's rewards distribution system incentivizes nodes to maintain high performance by offering tiered rewards based on their rank and votes. Through its seamless interaction with the network's runtime and smart contracts, the system ensures fair reward allocation and secure payouts, aligning node incentives with the network's overall health and growth.



The D9 Network's node voting functionality is central to determining the rank and rewards distribution for participating nodes. This voting process allows users to support their preferred nodes, directly impacting the node's position in the ranking system. The following is a technical breakdown of the key functions that govern this node voting mechanism, along with how they contribute to the overall reward structure.

Node Reward System

The node voting system involves several key functions that allow users to submit candidacies, vote for nodes, and manage the distribution of support and rewards. This functionality directly determines node rankings, and those rankings are tied to the rewards each node receives based on its tier.

01 Submit Candidacy

A node wishing to participate in the voting system must first submit their candidacy. During this process, the system checks whether the node has already registered as a candidate and ensures that the maximum limit for candidates is not exceeded. If eligible, the node is added to the candidate list, and their metadata (e.g., name, voting share) is stored on-chain. This ensures that only qualified nodes enter the voting pool, preventing overcrowding and maintaining the integrity of the voting process.

02 Add Voting Interest

Users can increase their voting influence by burning tokens, which are transferred to the network's burn contract. By doing so, they increase their voting capacity, allowing them to have a greater say in the election of nodes. This is crucial for ensuring that votes are weighted according to the contributions and commitment of participants. The tokens burned increase the user's voting interest, allowing them to distribute more votes across nodes.

03 Delegate Votes

Users can delegate their voting interest to multiple validator candidates. The system ensures that the delegation list is valid and that the user has sufficient voting capacity to support their chosen candidates. By delegating votes, users help determine the ranking of nodes, which in turn influences the rewards those nodes receive. This delegation process is designed to be flexible, but with limitations (e.g., maximum number of candidates), ensuring that the system remains balanced.

04 Remove Candidacy

A candidate can choose to withdraw from the election. When this happens, the system removes all votes that were previously delegated to the candidate and updates the total number of active candidates.

The metadata for the candidate is also removed from the system. This function ensures that nodes can exit the voting system cleanly and that the votes supporting them are redistributed.

05 Change Candidate Supporter Share

Nodes can adjust the percentage of rewards they share with their supporters. However, certain restrictions are in place to prevent abuse or frequent changes. For example, nodes currently acting as validators are not allowed to change their reward share percentage, and a minimum interval between changes is enforced. This mechanism allows nodes to fine-tune their reward distribution to incentivize more voting support while maintaining fairness.

Interaction with Node Ranking and Rewards

The ranking of nodes in the D9 Network is directly influenced by the number of votes they receive. As users delegate their voting interest to nodes, the system accumulates votes for each candidate, determining their rank within the network. The ranking of a node affects its tier, which in turn determines its share of the reward pool.

- **Node Ranking:** Based on the number of votes a node accumulates, it is placed into one of several tiers (Super Node, Standby Node, or Candidate). Higher-ranked nodes (Super Nodes) receive a larger portion of the reward pool, while lower-ranked nodes receive less. The voting system ensures that only the most supported nodes rise to the top, maintaining fairness in the distribution of rewards.

- **Rewards Distribution:** The reward system is tied to the voting process, with node rankings determining their share of the rewards. Nodes that accumulate more votes from users receive a higher rank, which places them in higher tiers and allows them to earn more rewards. By adjusting their reward share percentage, nodes can attract more votes, balancing their own interests with those of their supporters.

Governance and Fairness

The node voting system is designed to be fair and decentralized, allowing users to influence the network's governance by supporting the nodes they trust the most. The use of token burning as a means to increase voting power ensures that users who are more invested in the network have a greater say, aligning incentives between nodes and their supporters.

- **Protection Against Over-Delegation:** The system includes checks to prevent users from delegating votes to too many nodes, ensuring that the distribution of support is balanced. Additionally, nodes cannot change their reward share too frequently or when they are actively validating, preventing manipulation of the system for personal gain.

- **Dynamic Participation:** As nodes submit their candidacies, gain votes, or withdraw, the system dynamically updates their status and the voting power of users. This ensures that the network remains responsive to changes in participation, keeping the node ranking system fluid and competitive.

Summary

The D9 Network's node voting functionality plays a crucial role in determining which nodes receive rewards and how much they earn. Users participate by burning tokens to increase their voting power and delegating votes to their preferred nodes. These votes directly influence node rankings, which are tied to the reward distribution mechanism. The system ensures fairness, with checks to prevent abuse and a dynamic process that adapts to changes in candidate participation and user voting behavior. This governance system aligns the interests of nodes and users, incentivizing long-term commitment and active participation in the network.

In the D9 Network, the referral relationship system is a critical component that rewards users for referring others to the network. This system is tied to the broader burn mining mechanism, where users who refer new participants can earn dividends when their referrals withdraw rewards. The referral structure can extend up to 19 levels of ancestry, ensuring that multiple generations of users benefit from each new participant.

Referral System for Network Growth

When a new user account is created and receives its first balance, the system automatically establishes a referral relationship between the new user (the “child”) and the referring user (the “parent”). This referral relationship forms the foundation for future reward distribution, particularly when users earn and withdraw dividends from the burn mining process.

01

Creation of a Referral Relationship

When a new account (child) is created, the system checks whether there is an existing referral relationship for this account. If the account already has a parent, no new referral relationship is created. This ensures that each user is tied to only one parent in the referral structure, preventing users from gaining multiple parent relationships.

If no parent is assigned, the system establishes a relationship between the child and the referring account (parent).

This parent-child relationship is stored in the `ReferralRelationships` mapping, which keeps track of the parent for each child account. This one-to-one relationship ensures a clean and traceable referral hierarchy.

02 Tracking Referral Counts

Once a referral relationship is created, the system increments the count of direct referrals for the parent account. This count helps track the number of users that each parent has directly referred. The `DirectReferralsCount` storage item is updated with the new referral count, ensuring that the parent's referral activity is accurately tracked.

03 Referral Event Emission

After successfully establishing the relationship, the system emits an event (`NewReferralRelationshipCreated`). This event logs the creation of the referral relationship on the blockchain, ensuring transparency and accountability. The event includes the parent and child accounts, allowing the network to track referral relationships as they are formed.

Referral Relationship and Ancestor System

The referral system is not limited to a single level of parent-child relationships. It extends up to 19 levels of ancestry, meaning that when a user withdraws dividends from the burn mining process, their rewards can be distributed to their ancestors in the referral chain. This multi-level system incentivizes users to refer others, as they can earn rewards from both direct and indirect referrals.

- **Ancestry Tracking** The referral system keeps track of up to 19 levels of ancestors for each user. This hierarchical structure means that not only does the parent benefit when the child earns rewards, but the parent's parent (and so on, up to 19 levels) can also receive a portion of the dividends. This creates a network effect where users are motivated to continue referring others, knowing that their entire chain of referrals can generate future rewards.

- **Payout Distribution** When a user withdraws dividends from the burn mining process, the referral system identifies their ancestors and distributes a portion of the rewards to each eligible ancestor in the referral hierarchy. The amount each ancestor receives depends on their position in the chain, with closer ancestors (such as the direct parent) typically receiving a larger share of the reward.

Integration with Burn Mining

The referral system is tightly integrated with the burn mining process. As users participate in burn mining and earn rewards, their referral network also benefits. When a user withdraws dividends, the system calculates the rewards for their ancestors based on the established referral relationships. This creates a long-term incentive for users to build and maintain a strong referral network, as they can continue to earn rewards even when they are not directly participating in the mining process.

Summary

The D9 Network's referral relationship system plays a key role in incentivizing user growth and engagement. By establishing referral links between new users and their referrers, the system creates a hierarchical structure that can reward multiple generations of participants. These referral relationships are directly tied to the burn mining process, where dividends are distributed to both users and their ancestors, fostering a network effect that encourages active participation and referrals throughout the community. This mechanism ensures that users who contribute to the network's expansion are continuously rewarded, aligning long-term incentives with network growth.

Governance and Upgradability

Decentralized Governance

The D9 Network's governance model is structured to be decentralized, flexible, and inclusive. Through the Node Voting Mechanism and active community engagement, all network participants have a say in its evolution. This decentralized approach ensures that decisions about upgrades, protocol changes, and policies reflect the interests of the entire community rather than a centralized authority.

Upgradability

The D9 Network allows seamless upgrades without disrupting the ecosystem through its on-chain governance framework, ensuring network continuity and reducing the need for disruptive hard forks.

- **On-Chain Upgrades:** All upgrades are carried out through the decentralized governance process, reducing the need for forced splits or forks.

- **Modular Design:** Smart contracts are developed with modularity in mind, enabling components to be individually upgraded or replaced, promoting innovation while maintaining network stability.
- **Developer Proposals:** Developers are encouraged to submit proposals to enhance the network's functionality, subject to approval through the governance process. This encourages a collaborative development approach, driving the network's continuous improvement.

Security and Stability

D9 Network prioritizes security and stability through rigorous testing, community consensus, and robust fallback mechanisms.

- **Formal Verification:** Smart contracts undergo formal verification to ensure security and correctness, minimizing vulnerabilities.
- **Audit Trails:** Every governance decision is recorded on-chain, creating a transparent and tamper-proof record of all changes and upgrades.
- **Fallback Mechanisms:** In the event of unforeseen challenges, emergency protocols are in place to mitigate risks and restore network functionality without compromising security.

Community Engagement

The D9 Network fosters active community participation in its governance and development, providing multiple channels for education, discussion, and collaboration.

- **Forums and Discussions:** Dedicated platforms enable open discussions where community members can debate proposals, share ideas, and express concerns.
- **Educational Resources:** The network provides comprehensive tutorials, documentation, and guides to ensure stakeholders are well-informed about governance processes and technical developments.
- **Events and Workshops:** Regular events and workshops encourage community collaboration and provide opportunities to contribute to the future direction of the network.

Conclusion

The D9 Network signifies a breakthrough in blockchain technology by addressing fundamental limitations seen in existing networks. Through innovative mechanisms such as Burn Mining, DCIP, and a decentralized exchange, the D9 Network enhances the scalability, interoperability, and incentivization necessary for a flourishing decentralized ecosystem.

The incorporation of cutting-edge governance models ensures that the network evolves in alignment with community interests, fostering a truly decentralized and transparent environment. By focusing on security, transparency, and inclusivity, D9 Network is well-positioned to lead the future of decentralized applications and commerce. We invite developers, users, and businesses to join the D9 Network in shaping the future of blockchain technology.